

UNITEU STATES DEPARTMENT OF COMMERCI United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uson.pro

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/088,632	07/30/2002	Erik D'Hondt	B45201	7231 .	
20462 7590 03/19/2007 SMITHKLINE BEECHAM CORPORATION CORPORATE INTELLECTUAL PROPERTY-US, UW2220 P. O. BOX 1539 KING OF PRUSSIA, PA 19406-0939			EXAMINER		
			HORNING, MICHELLE S		
			ART UNIT	PAPER NUMBER	
		. 1648			
			MAIL DATE	DELIVERY MODE	
*	•	•	03/19/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No. Applicant(s)		
Spolemental Notice of Allowability			
Notice of Allowability	10/088,632 Examiner	D'HONDT ET AL. Art Unit	
	Michelle Horning	1648	
The MAILING DATE of this communication and Ali claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR 1	S IS (OR REMAINS) CLOSED85) or other appropriate comn IT RIGHTS. This application is .313 and MPEP 1308.	in this application. If not include nunication will be mailed in due	led course. THIS
1. This communication is responsive to response filed 11	<u>/21/2006</u> .	•	
2. X The allowed claim(s) is/are 26, 29-35, 41, 44, 46 and 5	5 <u>1-56</u> .	•	
3. ☑ Acknowledgment is made of a claim for foreign priori a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents 2. ☐ Certified copies of the priority documents 3. ☒ Copies of the certified copies of the priority international Bureau (PCT Rule 17.2(a)). * Certified copies not received:	have been received. have been received in Applicat	ion No	ation from the
Applicant has THREE MONTHS FROM THE "MAILING DA noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	TE" of this communication to fil DNMENT of this application.	le a reply complying with the re	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be supported in FORMAL PATENT APPLICATION (PTO-152) which			NOTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets")	must be submitted.		
(a) I including changes required by the Notice of Drafts	person's Patent Drawing Revie	w (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date _			
(b) Including changes required by the attached Exami Paper No./Mail Date	ner's Amendment / Comment o	or in the Office action of	·
identifying indicia such as the application number (see 37 Cleach sheet. Replacement sheet(s) should be labeled as such	FR 1.84(c)) should be written on in the header according to 37 C	the drawings in the front (not the FR 1.121(d).	e back) of
 DEPOSIT OF and/or INFORMATION about the datached Examiner's comment regarding REQUIREMENT 	eposit of BIOLOGICAL MAT ENT FOR THE DEPOSIT OF B	FERIAL must be submitted. IOLOGICAL MATERIAL.	Note the

Attachment(s)	
1. Notice of References Cited (PTO-892)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	

U.S. Patent and Trademark Office PTOL-37 (Rev. 08-06)

5. Notice of Informal Patent Application

6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date ____.
7. ☑ Examiner's Amendment/Comment

8.

Examiner's Statement of Reasons for Allowance

9. Other _

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600
Notice of Allowability

Patent Examiner

Michelle Homing

Art Unit: 1648

DETAILED ACTION

This application has been transferred to a different Patent Examiner. Please direct all further correspondences relating to this application of Examiner Horning.

Claim Rejections-35 USC 112, 1st paragraph

Claims 26, 29-35, 41, 42, 44, 46 and 51-56 were previously rejected under 35 USC. 1st paragraph because the specification, while being enabling for whole virus vaccines, does not reasonably provide enablement for split virus vaccines. Following the amendment filed 11/21/2006, this rejection is withdrawn.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization

Authorization for this examiner's amendment was given in a telephone interview with Elizabeth Hecht on 1/31/2007.

The application has been amended as follows:

- 1. In claim 44 (line 1), between the words "the antigen", insert
- --whole virus--.
- 2. In claim 46 (line 1), between the words "the antigen", insert
- --whole virus--.

Art Unit: 1648

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michelle Horning whose telephone number is 571-272-9036. The examiner can normally be reached on Monday-Friday 8:00-5:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bruce Campell can be reached on 571-272-0974. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Michelle Horning Patent Examiner

> BRUCE R. CAMPELL, PH.O SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600